



Floats and Frames

MODULAR PONTOON SOLUTIONS

**BRITISH
MARINE** 

KIBOKO LIMITED

12 ALLENS LANE

POOLE

DORSET

(+44) 01202 156790

(+44) 07867 800458

info@floatsandframes.com

www.floatsandframes.com

COMPANY NUMBER: 12985342

VAT NUMBER: GB362120048

BASIC 100mm MODULAR PONTOONS – Summer 2025



BASIC 100mm-type modular pontoon kits. Supplied as float cells, fabricated 100×50mm aluminium frames, and fixings. Just bolt the floats to the frame, launch, repeat- then connect in series to reach your desired length.









Choose your beam, formation, and module quantity based on use case, loading, and siting conditions. OJ100 pontoons are ideal for prefab and self-built cabin mounting where budgets are tight and floor/deck joisting is not required.











See our other catalogues for alternative base framing module variants, full static houseboat and navigable floating home kits, as well as deck, dock, jetty, and marina finger mooring solutions.












All pricing is exclusive of shipping (collection welcome) and VAT at 20%.














Certain static floating home kits and ancillary components may qualify for zero-rated VAT. Talk to us for details.













Catalogues, guide videos, terms and conditions, warranty, VAT exemption information, and datasheets are available here: www.floatsandframes.com/pricing-and-docs














OJ100_CAT	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 1 TOTAL FLOATS: 2	£1,513.58	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 643 kg
OJ100_CAT_2MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 2 TOTAL FLOATS: 4	£3,027.15	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,286 kg
OJ100_CAT_3MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 3 TOTAL FLOATS: 6	£4,540.73	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 1,929 kg
OJ100_CAT_4MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 4 TOTAL FLOATS: 8	£6,054.31	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 2,572 kg
OJ100_CAT_5MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 5 TOTAL FLOATS: 10	£7,567.88	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 3,215 kg
OJ100_CAT_6MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 6 TOTAL FLOATS: 12	£9,081.46	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 3,858 kg
OJ100_CAT_7MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 7 TOTAL FLOATS: 14	£10,595.03	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 4,501 kg















OJ100_CAT_8MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 8 TOTAL FLOATS: 16	£12,108.61			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 5,144 kg
OJ100_CAT_9MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 9 TOTAL FLOATS: 18	£13,622.19			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 5,787 kg
OJ100_TRI	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 1 TOTAL FLOATS: 3	£2,251.19			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 966 kg
OJ100_TRI_2MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 2 TOTAL FLOATS: 6	£4,502.38			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,932 kg
OJ100_TRI_3MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 3 TOTAL FLOATS: 9	£6,753.56			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 2,897 kg
OJ100_TRI_4MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 4 TOTAL FLOATS: 12	£9,004.75			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 3,863 kg
OJ100_TRI_5MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 5 TOTAL FLOATS: 15	£11,255.94			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 4,829 kg














OJ100_TRI_6MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 6 TOTAL FLOATS: 18	£13,507.13	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 5,795 kg
OJ100_TRI_7MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 7 TOTAL FLOATS: 21	£15,758.32	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 6,760 kg
OJ100_TRI_8MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 8 TOTAL FLOATS: 24	£18,009.50	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 7,726 kg
OJ100_TRI_9MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 9 TOTAL FLOATS: 27	£20,260.69	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 8,692 kg
OJ100_QUAD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 1 TOTAL FLOATS: 4	£2,988.80	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,289 kg
OJ100_QUAD_2MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 2 TOTAL FLOATS: 8	£5,977.60	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 2,577 kg
OJ100_QUAD_3MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 3 TOTAL FLOATS: 12	£8,966.40	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 3,866 kg















0J100_QUAD_4MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 4 TOTAL FLOATS: 16	£11,955.20	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 5,154 kg
0J100_QUAD_5MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 5 TOTAL FLOATS: 20	£14,944.00	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 6,443 kg
0J100_QUAD_6MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 6 TOTAL FLOATS: 24	£17,932.80	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 7,731 kg
0J100_QUAD_7MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 7 TOTAL FLOATS: 28	£20,921.60	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 9,020 kg
0J100_QUAD_8MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 8 TOTAL FLOATS: 32	£23,910.40	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 10,308 kg
0J100_QUAD_9MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 9 TOTAL FLOATS: 36	£26,899.20	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 11,597 kg
0J100_PENT	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 1 TOTAL FLOATS: 5	£3,906.82	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,611 kg















0J100_PENT_2MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 2 TOTAL FLOATS: 10	£7,813.63			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,223 kg
0J100_PENT_3MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 3 TOTAL FLOATS: 15	£11,720.45			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 4,834 kg
0J100_PENT_4MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 4 TOTAL FLOATS: 20	£15,627.27			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 6,445 kg
0J100_PENT_5MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 5 TOTAL FLOATS: 25	£19,534.08			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 8,057 kg
0J100_PENT_6MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 6 TOTAL FLOATS: 30	£23,440.90			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 9,668 kg
0J100_PENT_7MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 7 TOTAL FLOATS: 35	£27,347.72			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 11,279 kg
0J100_PENT_8MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 8 TOTAL FLOATS: 40	£31,254.53			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 12,891 kg





OJ100_PENT_9MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 9 TOTAL FLOATS: 45	£35,161.35			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 14,502 kg
OJ100_HEX	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 1 TOTAL FLOATS: 6	£4,644.43			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,934 kg
OJ100_HEX_2MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 2 TOTAL FLOATS: 12	£9,288.86			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,868 kg
OJ100_HEX_3MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 3 TOTAL FLOATS: 18	£13,933.28			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 5,802 kg
OJ100_HEX_4MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 4 TOTAL FLOATS: 24	£18,577.71			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 7,736 kg
OJ100_HEX_5MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 5 TOTAL FLOATS: 30	£23,222.14			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 9,670 kg
OJ100_HEX_6MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 6 TOTAL FLOATS: 36	£27,866.57			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 11,605 kg

OJ100_HEX_7MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 7 TOTAL FLOATS: 42	£32,511.00			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 13,539 kg
OJ100_HEX_8MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 8 TOTAL FLOATS: 48	£37,155.43			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 15,473 kg
OJ100_HEX_9MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 9 TOTAL FLOATS: 54	£41,799.85			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 17,407 kg
OJ100_HEPT	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 1 TOTAL FLOATS: 7	£5,382.04			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,257 kg
OJ100_HEPT_2MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 2 TOTAL FLOATS: 14	£10,764.08			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 4,514 kg
OJ100_HEPT_3MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 3 TOTAL FLOATS: 21	£16,146.12			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 6,771 kg
OJ100_HEPT_4MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 4 TOTAL FLOATS: 28	£21,528.16			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 9,027 kg

0J100_HEPT_5MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 5 TOTAL FLOATS: 35	£26,910.20	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 11,284 kg
0J100_HEPT_6MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 6 TOTAL FLOATS: 42	£32,292.24	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 13,541 kg
0J100_HEPT_7MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 7 TOTAL FLOATS: 49	£37,674.28	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 15,798 kg
0J100_HEPT_8MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 8 TOTAL FLOATS: 56	£43,056.32	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 18,055 kg
0J100_HEPT_9MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 9 TOTAL FLOATS: 63	£48,438.36	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 20,312 kg
0J100_OCT	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 1 TOTAL FLOATS: 8	£6,300.06	 	STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,580 kg
0J100_OCT_2MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 2 TOTAL FLOATS: 16	£12,600.11	 	STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,159 kg

OJ100_OCT_3MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 3 TOTAL FLOATS: 24	£18,900.17			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 7,739 kg
OJ100_OCT_4MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 4 TOTAL FLOATS: 32	£25,200.23			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 10,319 kg
OJ100_OCT_5MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 5 TOTAL FLOATS: 40	£31,500.28			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 12,898 kg
OJ100_OCT_6MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 6 TOTAL FLOATS: 48	£37,800.34			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 15,478 kg
OJ100_OCT_7MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 7 TOTAL FLOATS: 56	£44,100.40			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 18,058 kg
OJ100_OCT_8MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 8 TOTAL FLOATS: 64	£50,400.45			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 20,637 kg
OJ100_OCT_9MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 9 TOTAL FLOATS: 72	£56,700.51			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 23,217 kg

0J100_NON	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 1 TOTAL FLOATS: 9	£7,037.67	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,902 kg
0J100_NON_2MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 2 TOTAL FLOATS: 18	£14,075.34	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,805 kg
0J100_NON_3MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 3 TOTAL FLOATS: 27	£21,113.01	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 8,707 kg
0J100_NON_4MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 4 TOTAL FLOATS: 36	£28,150.67	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 11,610 kg
0J100_NON_5MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 5 TOTAL FLOATS: 45	£35,188.34	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 14,512 kg
0J100_NON_6MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 6 TOTAL FLOATS: 54	£42,226.01	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 17,415 kg
0J100_NON_7MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 7 TOTAL FLOATS: 63	£49,263.68	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 20,317 kg

0J100_NON_8MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 8 TOTAL FLOATS: 72	£56,301.35	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 23,219 kg
0J100_NON_9MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 9 TOTAL FLOATS: 81	£63,339.02	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 26,122 kg