



Floats and Frames

MODULAR PONTOON SOLUTIONS

**BRITISH
MARINE** 

KIBOKO LIMITED

12 ALLENS LANE

POOLE

DORSET

(+44) 01202 156790

(+44) 07867 800458

info@floatsandframes.com

www.floatsandframes.com

COMPANY NUMBER: 12985342

VAT NUMBER: GB362120048

DECK-JOISTED MODULAR PONTOONS – Summer 2025



DECK-JOISTED type modular pontoon kits. Supplied as float cells, fabricated 150×50mm aluminium frames, and fixings. Just bolt the floats to the frame, launch, repeat- then connect in series to reach your desired length.













Choose your beam, formation, and module quantity based on use case, loading, and siting conditions. DJ150 pontoons offer integrated decking support for floating home cabin floors as well as open decks and mooring arrays.













See our other catalogues for alternative base framing module variants, full static houseboat and navigable floating home kits, as well as deck, dock, jetty, and marina finger mooring solutions.













All pricing is exclusive of shipping (collection welcome) and VAT at 20%.













Certain static floating home kits and ancillary components may qualify for zero-rated VAT. Talk to us for details.














Catalogues, guide videos, terms and conditions, warranty, VAT exemption information, and datasheets are available here: www.floatsandframes.com/pricing-and-docs












DJ150_CAT	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 1 TOTAL FLOATS: 2	£1,752.44			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 623 kg
DJ150_CAT_2MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 2 TOTAL FLOATS: 4	£3,504.88			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,246 kg
DJ150_CAT_3MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 3 TOTAL FLOATS: 6	£5,257.32			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 1,869 kg
DJ150_CAT_4MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 4 TOTAL FLOATS: 8	£7,009.76			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 2,492 kg
DJ150_CAT_5MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 5 TOTAL FLOATS: 10	£8,762.20			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 3,115 kg
DJ150_CAT_6MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 6 TOTAL FLOATS: 12	£10,514.64			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 3,738 kg
DJ150_CAT_7MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 7 TOTAL FLOATS: 14	£12,267.08			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 4,361 kg












DJ150_CAT_8MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 8 TOTAL FLOATS: 16	£14,019.52	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 4,984 kg
DJ150_CAT_9MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 9 TOTAL FLOATS: 18	£15,771.96	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 5,607 kg
DJ150_TRI	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 1 TOTAL FLOATS: 3	£2,605.88	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 936 kg
DJ150_TRI_2MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 2 TOTAL FLOATS: 6	£5,211.75	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,872 kg
DJ150_TRI_3MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 3 TOTAL FLOATS: 9	£7,817.63	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 2,808 kg
DJ150_TRI_4MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 4 TOTAL FLOATS: 12	£10,423.51	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 3,745 kg
DJ150_TRI_5MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 5 TOTAL FLOATS: 15	£13,029.38	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 4,681 kg













DJ150_TRI_6MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 6 TOTAL FLOATS: 18	£15,635.26	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 5,617 kg
DJ150_TRI_7MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 7 TOTAL FLOATS: 21	£18,241.13	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 6,553 kg
DJ150_TRI_8MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 8 TOTAL FLOATS: 24	£20,847.01	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 7,489 kg
DJ150_TRI_9MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 9 TOTAL FLOATS: 27	£23,452.89	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 8,425 kg
DJ150_QUAD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 1 TOTAL FLOATS: 4	£3,459.31	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,249 kg
DJ150_QUAD_2MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 2 TOTAL FLOATS: 8	£6,918.62	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 2,499 kg
DJ150_QUAD_3MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 3 TOTAL FLOATS: 12	£10,377.94	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 3,748 kg













DJ150_QUAD_4MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 4 TOTAL FLOATS: 16	£13,837.25			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 4,997 kg
DJ150_QUAD_5MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 5 TOTAL FLOATS: 20	£17,296.56			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 6,247 kg
DJ150_QUAD_6MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 6 TOTAL FLOATS: 24	£20,755.87			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 7,496 kg
DJ150_QUAD_7MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 7 TOTAL FLOATS: 28	£24,215.18			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 8,745 kg
DJ150_QUAD_8MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 8 TOTAL FLOATS: 32	£27,674.50			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 9,994 kg
DJ150_QUAD_9MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 9 TOTAL FLOATS: 36	£31,133.81			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 11,244 kg
DJ150_PENT	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 1 TOTAL FLOATS: 5	£4,493.15			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,562 kg











DJ150_PENT_2MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 2 TOTAL FLOATS: 10	£8,986.31	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,125 kg
DJ150_PENT_3MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 3 TOTAL FLOATS: 15	£13,479.46	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 4,687 kg
DJ150_PENT_4MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 4 TOTAL FLOATS: 20	£17,972.61	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 6,250 kg
DJ150_PENT_5MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 5 TOTAL FLOATS: 25	£22,465.76	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 7,812 kg
DJ150_PENT_6MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 6 TOTAL FLOATS: 30	£26,958.92	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 9,375 kg
DJ150_PENT_7MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 7 TOTAL FLOATS: 35	£31,452.07	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 10,937 kg
DJ150_PENT_8MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 8 TOTAL FLOATS: 40	£35,945.22	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 12,500 kg





DJ150_PENT_9MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 9 TOTAL FLOATS: 45	£40,438.38	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 14,062 kg
DJ150_HEX	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 1 TOTAL FLOATS: 6	£5,346.59	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,876 kg
DJ150_HEX_2MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 2 TOTAL FLOATS: 12	£10,693.18	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,751 kg
DJ150_HEX_3MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 3 TOTAL FLOATS: 18	£16,039.77	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 5,627 kg
DJ150_HEX_4MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 4 TOTAL FLOATS: 24	£21,386.35	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 7,503 kg
DJ150_HEX_5MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 5 TOTAL FLOATS: 30	£26,732.94	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 9,378 kg
DJ150_HEX_6MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 6 TOTAL FLOATS: 36	£32,079.53	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 11,254 kg

DJ150_HEX_7MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 7 TOTAL FLOATS: 42	£37,426.12	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 13,130 kg
DJ150_HEX_8MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 8 TOTAL FLOATS: 48	£42,772.71	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 15,005 kg
DJ150_HEX_9MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 9 TOTAL FLOATS: 54	£48,119.30	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 16,881 kg
DJ150_HEPT	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 1 TOTAL FLOATS: 7	£6,200.02	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,189 kg
DJ150_HEPT_2MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 2 TOTAL FLOATS: 14	£12,400.05	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 4,378 kg
DJ150_HEPT_3MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 3 TOTAL FLOATS: 21	£18,600.07	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 6,567 kg
DJ150_HEPT_4MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 4 TOTAL FLOATS: 28	£24,800.10	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 8,755 kg

DJ150_HEPT_5MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 5 TOTAL FLOATS: 35	£31,000.12	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 10,944 kg
DJ150_HEPT_6MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 6 TOTAL FLOATS: 42	£37,200.15	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 13,133 kg
DJ150_HEPT_7MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 7 TOTAL FLOATS: 49	£43,400.17	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 15,322 kg
DJ150_HEPT_8MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 8 TOTAL FLOATS: 56	£49,600.19	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 17,511 kg
DJ150_HEPT_9MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 9 TOTAL FLOATS: 63	£55,800.22	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 19,700 kg
DJ150_OCT	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 1 TOTAL FLOATS: 8	£7,233.87	 	STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,502 kg
DJ150_OCT_2MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 2 TOTAL FLOATS: 16	£14,467.73	 	STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,004 kg

DJ150_OCT_3MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 3 TOTAL FLOATS: 24	£21,701.60			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 7,506 kg
DJ150_OCT_4MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 4 TOTAL FLOATS: 32	£28,935.46			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 10,008 kg
DJ150_OCT_5MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 5 TOTAL FLOATS: 40	£36,169.33			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 12,510 kg
DJ150_OCT_6MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 6 TOTAL FLOATS: 48	£43,403.19			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 15,012 kg
DJ150_OCT_7MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 7 TOTAL FLOATS: 56	£50,637.06			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 17,514 kg
DJ150_OCT_8MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 8 TOTAL FLOATS: 64	£57,870.92			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 20,016 kg
DJ150_OCT_9MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 9 TOTAL FLOATS: 72	£65,104.79			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 22,518 kg

DJ150_NON	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 1 TOTAL FLOATS: 9	£8,087.30	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,815 kg
DJ150_NON_2MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 2 TOTAL FLOATS: 18	£16,174.60	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,630 kg
DJ150_NON_3MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 3 TOTAL FLOATS: 27	£24,261.90	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 8,446 kg
DJ150_NON_4MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 4 TOTAL FLOATS: 36	£32,349.20	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 11,261 kg
DJ150_NON_5MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 5 TOTAL FLOATS: 45	£40,436.50	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 14,076 kg
DJ150_NON_6MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 6 TOTAL FLOATS: 54	£48,523.81	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 16,891 kg
DJ150_NON_7MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 7 TOTAL FLOATS: 63	£56,611.11	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 19,706 kg

DJ150_NON_8MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 8 TOTAL FLOATS: 72	£64,698.41	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 22,522 kg
DJ150_NON_9MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 9 TOTAL FLOATS: 81	£72,785.71	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 25,337 kg