



Floats and Frames

MODULAR PONTOON SOLUTIONS

**BRITISH
MARINE** 

KIBOKO LIMITED

12 ALLENS LANE

POOLE

DORSET

(+44) 01202 156790

(+44) 07867 800458

info@floatsandframes.com

www.floatsandframes.com

COMPANY NUMBER: 12985342

VAT NUMBER: GB362120048

PANEL-JOISTED MODULAR PONTOONS – Summer 2025



PANEL-JOISTED type modular pontoon kits. Supplied as float cells, fabricated 150×50mm aluminium frames, and fixings. Just bolt the floats to the frame, launch, repeat- then connect in series to reach your desired length.











Choose your beam, formation, and module quantity based on use case, loading, and siting conditions. PJ150 pontoons offer integrated joisting for internal panel floors as well as N/S orientated decking on open decks and mooring arrays.













See our other catalogues for alternative base framing module variants, full static houseboat and navigable floating home kits, as well as deck, dock, jetty, and marina finger mooring solutions.














All pricing is exclusive of shipping (collection welcome) and VAT at 20%.















Certain static floating home kits and ancillary components may qualify for zero-rated VAT. Talk to us for details.














Catalogues, guide videos, terms and conditions, warranty, VAT exemption information, and datasheets are available here: www.floatsandframes.com/pricing-and-docs















PJ150_CAT	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 1 TOTAL FLOATS: 2	£2,215.60			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 615 kg
PJ150_CAT_2MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 2 TOTAL FLOATS: 4	£4,431.20			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,231 kg
PJ150_CAT_3MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 3 TOTAL FLOATS: 6	£6,646.80			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 1,846 kg
PJ150_CAT_4MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 4 TOTAL FLOATS: 8	£8,862.40			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 2,462 kg
PJ150_CAT_5MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 5 TOTAL FLOATS: 10	£11,077.99			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 3,077 kg
PJ150_CAT_6MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 6 TOTAL FLOATS: 12	£13,293.59			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 3,693 kg
PJ150_CAT_7MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 7 TOTAL FLOATS: 14	£15,509.19			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 4,308 kg















PJ150_CAT_8MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 8 TOTAL FLOATS: 16	£17,724.79	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 4,924 kg
PJ150_CAT_9MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 9 TOTAL FLOATS: 18	£19,940.39	 	STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 5,539 kg
PJ150_TRI	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 1 TOTAL FLOATS: 3	£3,372.53	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 927 kg
PJ150_TRI_2MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 2 TOTAL FLOATS: 6	£6,745.07	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,853 kg
PJ150_TRI_3MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 3 TOTAL FLOATS: 9	£10,117.60	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 2,780 kg
PJ150_TRI_4MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 4 TOTAL FLOATS: 12	£13,490.13	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 3,706 kg
PJ150_TRI_5MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 5 TOTAL FLOATS: 15	£16,862.66	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 4,633 kg














PJ150_TRI_6MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 6 TOTAL FLOATS: 18	£20,235.20	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 5,560 kg
PJ150_TRI_7MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 7 TOTAL FLOATS: 21	£23,607.73	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 6,486 kg
PJ150_TRI_8MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 8 TOTAL FLOATS: 24	£26,980.26	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 7,413 kg
PJ150_TRI_9MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 9 TOTAL FLOATS: 27	£30,352.80	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 8,339 kg
PJ150_QUAD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 1 TOTAL FLOATS: 4	£4,529.47	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,238 kg
PJ150_QUAD_2MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 2 TOTAL FLOATS: 8	£9,058.93	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 2,475 kg
PJ150_QUAD_3MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 3 TOTAL FLOATS: 12	£13,588.40	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 3,713 kg














PJ150_QUAD_4MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 4 TOTAL FLOATS: 16	£18,117.87	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 4,951 kg
PJ150_QUAD_5MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 5 TOTAL FLOATS: 20	£22,647.33	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 6,189 kg
PJ150_QUAD_6MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 6 TOTAL FLOATS: 24	£27,176.80	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 7,426 kg
PJ150_QUAD_7MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 7 TOTAL FLOATS: 28	£31,706.27	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 8,664 kg
PJ150_QUAD_8MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 8 TOTAL FLOATS: 32	£36,235.74	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 9,902 kg
PJ150_QUAD_9MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 9 TOTAL FLOATS: 36	£40,765.20	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 11,139 kg
PJ150_PENT	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 1 TOTAL FLOATS: 5	£5,866.81	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,549 kg













PJ150_PENT_2MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 2 TOTAL FLOATS: 10	£11,733.61			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,098 kg
PJ150_PENT_3MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 3 TOTAL FLOATS: 15	£17,600.42			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 4,646 kg
PJ150_PENT_4MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 4 TOTAL FLOATS: 20	£23,467.22			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 6,195 kg
PJ150_PENT_5MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 5 TOTAL FLOATS: 25	£29,334.03			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 7,744 kg
PJ150_PENT_6MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 6 TOTAL FLOATS: 30	£35,200.84			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 9,293 kg
PJ150_PENT_7MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 7 TOTAL FLOATS: 35	£41,067.64			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 10,842 kg
PJ150_PENT_8MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 8 TOTAL FLOATS: 40	£46,934.45			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 12,391 kg





PJ150_PENT_9MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 9 TOTAL FLOATS: 45	£52,801.25	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 13,939 kg
PJ150_HEX	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 1 TOTAL FLOATS: 6	£7,023.74	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,860 kg
PJ150_HEX_2MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 2 TOTAL FLOATS: 12	£14,047.48	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,720 kg
PJ150_HEX_3MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 3 TOTAL FLOATS: 18	£21,071.22	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 5,580 kg
PJ150_HEX_4MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 4 TOTAL FLOATS: 24	£28,094.96	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 7,440 kg
PJ150_HEX_5MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 5 TOTAL FLOATS: 30	£35,118.70	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 9,300 kg
PJ150_HEX_6MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 6 TOTAL FLOATS: 36	£42,142.44	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 11,160 kg

PJ150_HEX_7MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 7 TOTAL FLOATS: 42	£49,166.18			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 13,020 kg
PJ150_HEX_8MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 8 TOTAL FLOATS: 48	£56,189.92			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 14,879 kg
PJ150_HEX_9MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 9 TOTAL FLOATS: 54	£63,213.66			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 16,739 kg
PJ150_HEPT	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 1 TOTAL FLOATS: 7	£8,180.67			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,171 kg
PJ150_HEPT_2MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 2 TOTAL FLOATS: 14	£16,361.35			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 4,342 kg
PJ150_HEPT_3MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 3 TOTAL FLOATS: 21	£24,542.02			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 6,513 kg
PJ150_HEPT_4MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 4 TOTAL FLOATS: 28	£32,722.70			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 8,684 kg

PJ150_HEPT_5MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 5 TOTAL FLOATS: 35	£40,903.37	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 10,855 kg
PJ150_HEPT_6MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 6 TOTAL FLOATS: 42	£49,084.04	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 13,026 kg
PJ150_HEPT_7MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 7 TOTAL FLOATS: 49	£57,264.72	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 15,197 kg
PJ150_HEPT_8MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 8 TOTAL FLOATS: 56	£65,445.39	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 17,368 kg
PJ150_HEPT_9MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 9 TOTAL FLOATS: 63	£73,626.07	 	STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 19,539 kg
PJ150_OCT	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 1 TOTAL FLOATS: 8	£9,518.01	 	STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,482 kg
PJ150_OCT_2MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 2 TOTAL FLOATS: 16	£19,036.03	 	STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 4,964 kg

PJ150_OCT_3MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 3 TOTAL FLOATS: 24	£28,554.04			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 7,446 kg
PJ150_OCT_4MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 4 TOTAL FLOATS: 32	£38,072.05			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 9,929 kg
PJ150_OCT_5MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 5 TOTAL FLOATS: 40	£47,590.06			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 12,411 kg
PJ150_OCT_6MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 6 TOTAL FLOATS: 48	£57,108.08			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 14,893 kg
PJ150_OCT_7MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 7 TOTAL FLOATS: 56	£66,626.09			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 17,375 kg
PJ150_OCT_8MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 8 TOTAL FLOATS: 64	£76,144.10			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 19,857 kg
PJ150_OCT_9MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 9 TOTAL FLOATS: 72	£85,662.12			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 22,339 kg

PJ150_NON	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 1 TOTAL FLOATS: 9	£10,674.95	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,793 kg
PJ150_NON_2MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 2 TOTAL FLOATS: 18	£21,349.89	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,587 kg
PJ150_NON_3MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 3 TOTAL FLOATS: 27	£32,024.84	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 8,380 kg
PJ150_NON_4MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 4 TOTAL FLOATS: 36	£42,699.79	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 11,173 kg
PJ150_NON_5MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 5 TOTAL FLOATS: 45	£53,374.73	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 13,966 kg
PJ150_NON_6MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 6 TOTAL FLOATS: 54	£64,049.68	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 16,760 kg
PJ150_NON_7MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 7 TOTAL FLOATS: 63	£74,724.63	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 19,553 kg

PJ150_NON_8MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 8 TOTAL FLOATS: 72	£85,399.57	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 22,346 kg
PJ150_NON_9MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 9 TOTAL FLOATS: 81	£96,074.52	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 25,139 kg