



Floats and Frames

MODULAR PONTOON SOLUTIONS

**BRITISH
MARINE** 

KIBOKO LIMITED

12 ALLENS LANE

POOLE

DORSET

(+44) 01202 156790

(+44) 07867 800458

info@floatsandframes.com

www.floatsandframes.com

COMPANY NUMBER: 12985342

VAT NUMBER: GB362120048

CROSS-BEAMED MODULAR PONTOONS – Summer 2025



CROSS-BEAMED type modular pontoon kits. Supplied as float cells, fabricated 100x50mm aluminium frames, and fixings. Just bolt the floats to the frame, launch, repeat- then connect in series to reach your desired length.











Choose your beam, formation, and module quantity based on use case, loading, and siting conditions. CB100 pontoons are the base type required to fit our full floating home kits, as well as suiting general cabin mounting.













See our other catalogues for alternative base framing module variants, full static houseboat and navigable floating home kits, as well as deck, dock, jetty, and marina finger mooring solutions.













All pricing is exclusive of shipping (collection welcome) and VAT at 20%.














Certain static floating home kits and ancillary components may qualify for zero-rated VAT. Talk to us for details.















Catalogues, guide videos, terms and conditions, warranty, VAT exemption information, and datasheets are available here: www.floatsandframes.com/pricing-and-docs















CB100_CAT	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 1 TOTAL FLOATS: 2	£1,801.56			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 630 kg
CB100_CAT_2MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 2 TOTAL FLOATS: 4	£3,603.11			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,260 kg
CB100_CAT_3MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 3 TOTAL FLOATS: 6	£5,404.67			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 1,891 kg
CB100_CAT_4MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 4 TOTAL FLOATS: 8	£7,206.22			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 2,521 kg
CB100_CAT_5MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 5 TOTAL FLOATS: 10	£9,007.78			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 3,151 kg
CB100_CAT_6MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 6 TOTAL FLOATS: 12	£10,809.34			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 3,781 kg
CB100_CAT_7MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 7 TOTAL FLOATS: 14	£12,610.89			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 4,411 kg














CB100_CAT_8MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 8 TOTAL FLOATS: 16	£14,412.45			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 5,042 kg
CB100_CAT_9MOD	ARRAY: CATAMARAN FLOAT RUNS: 2 FRAMING MODULES: 9 TOTAL FLOATS: 18	£16,214.00			STND X-DIM: 2.500 m MIN X-DIM: 1.888 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 5,672 kg
CB100_TRI	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 1 TOTAL FLOATS: 3	£2,647.41			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 948 kg
CB100_TRI_2MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 2 TOTAL FLOATS: 6	£5,294.82			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 1,896 kg
CB100_TRI_3MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 3 TOTAL FLOATS: 9	£7,942.23			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 2,844 kg
CB100_TRI_4MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 4 TOTAL FLOATS: 12	£10,589.64			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 3,791 kg
CB100_TRI_5MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 5 TOTAL FLOATS: 15	£13,237.05			STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 4,739 kg















CB100_TRI_6MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 6 TOTAL FLOATS: 18	£15,884.46	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 5,687 kg
CB100_TRI_7MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 7 TOTAL FLOATS: 21	£18,531.88	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 6,635 kg
CB100_TRI_8MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 8 TOTAL FLOATS: 24	£21,179.29	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 7,583 kg
CB100_TRI_9MOD	ARRAY: TRIMARAN FLOAT RUNS: 3 FRAMING MODULES: 9 TOTAL FLOATS: 27	£23,826.70	 	STND X-DIM: 3.500 m MIN X-DIM: 2.852 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 8,531 kg
CB100_QUAD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 1 TOTAL FLOATS: 4	£3,493.27	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,266 kg
CB100_QUAD_2MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 2 TOTAL FLOATS: 8	£6,986.53	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 2,531 kg
CB100_QUAD_3MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 3 TOTAL FLOATS: 12	£10,479.80	 	STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 3,797 kg















CB100_QUAD_4MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 4 TOTAL FLOATS: 16	£13,973.06			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 5,062 kg
CB100_QUAD_5MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 5 TOTAL FLOATS: 20	£17,466.33			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 6,328 kg
CB100_QUAD_6MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 6 TOTAL FLOATS: 24	£20,959.59			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 7,593 kg
CB100_QUAD_7MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 7 TOTAL FLOATS: 28	£24,452.86			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 8,859 kg
CB100_QUAD_8MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 8 TOTAL FLOATS: 32	£27,946.12			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 10,124 kg
CB100_QUAD_9MOD	ARRAY: QUADMARAN FLOAT RUNS: 4 FRAMING MODULES: 9 TOTAL FLOATS: 36	£31,439.39			STND X-DIM: 4.500 m MIN X-DIM: 3.816 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 11,390 kg
CB100_PENT	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 1 TOTAL FLOATS: 5	£4,519.53			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,583 kg















CB100_PENT_2MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 2 TOTAL FLOATS: 10	£9,039.05			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,166 kg
CB100_PENT_3MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 3 TOTAL FLOATS: 15	£13,558.58			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 4,749 kg
CB100_PENT_4MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 4 TOTAL FLOATS: 20	£18,078.10			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 6,333 kg
CB100_PENT_5MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 5 TOTAL FLOATS: 25	£22,597.63			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 7,916 kg
CB100_PENT_6MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 6 TOTAL FLOATS: 30	£27,117.15			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 9,499 kg
CB100_PENT_7MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 7 TOTAL FLOATS: 35	£31,636.68			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 11,082 kg
CB100_PENT_8MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 8 TOTAL FLOATS: 40	£36,156.20			STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 12,665 kg





CB100_PENT_9MOD	ARRAY: PENTAMARAN FLOAT RUNS: 5 FRAMING MODULES: 9 TOTAL FLOATS: 45	£40,675.73	 	STND X-DIM: 5.500 m MIN X-DIM: 4.780 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 14,248 kg
CB100_HEX	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 1 TOTAL FLOATS: 6	£5,365.38	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 1,901 kg
CB100_HEX_2MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 2 TOTAL FLOATS: 12	£10,730.76	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 3,802 kg
CB100_HEX_3MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 3 TOTAL FLOATS: 18	£16,096.14	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 5,702 kg
CB100_HEX_4MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 4 TOTAL FLOATS: 24	£21,461.52	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 7,603 kg
CB100_HEX_5MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 5 TOTAL FLOATS: 30	£26,826.90	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 9,504 kg
CB100_HEX_6MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 6 TOTAL FLOATS: 36	£32,192.28	 	STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 11,405 kg

CB100_HEX_7MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 7 TOTAL FLOATS: 42	£37,557.66			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 13,306 kg
CB100_HEX_8MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 8 TOTAL FLOATS: 48	£42,923.04			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 15,207 kg
CB100_HEX_9MOD	ARRAY: HEXAMARAN FLOAT RUNS: 6 FRAMING MODULES: 9 TOTAL FLOATS: 54	£48,288.42			STND X-DIM: 6.500 m MIN X-DIM: 5.744 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 17,107 kg
CB100_HEPT	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 1 TOTAL FLOATS: 7	£6,211.23			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,218 kg
CB100_HEPT_2MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 2 TOTAL FLOATS: 14	£12,422.47			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 4,437 kg
CB100_HEPT_3MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 3 TOTAL FLOATS: 21	£18,633.70			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 6,655 kg
CB100_HEPT_4MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 4 TOTAL FLOATS: 28	£24,844.94			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 8,874 kg

CB100_HEPT_5MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 5 TOTAL FLOATS: 35	£31,056.17			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 11,092 kg
CB100_HEPT_6MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 6 TOTAL FLOATS: 42	£37,267.41			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 13,311 kg
CB100_HEPT_7MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 7 TOTAL FLOATS: 49	£43,478.64			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 15,529 kg
CB100_HEPT_8MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 8 TOTAL FLOATS: 56	£49,689.88			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 17,748 kg
CB100_HEPT_9MOD	ARRAY: HEPTAMARAN FLOAT RUNS: 7 FRAMING MODULES: 9 TOTAL FLOATS: 63	£55,901.11			STND X-DIM: 7.500 m MIN X-DIM: 6.708 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 19,966 kg
CB100_OCT	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 1 TOTAL FLOATS: 8	£7,237.49			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,536 kg
CB100_OCT_2MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 2 TOTAL FLOATS: 16	£14,474.99			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,072 kg

CB100_OCT_3MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 3 TOTAL FLOATS: 24	£21,712.48			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 7,608 kg
CB100_OCT_4MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 4 TOTAL FLOATS: 32	£28,949.98			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 10,145 kg
CB100_OCT_5MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 5 TOTAL FLOATS: 40	£36,187.47			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 12,681 kg
CB100_OCT_6MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 6 TOTAL FLOATS: 48	£43,424.97			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 15,217 kg
CB100_OCT_7MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 7 TOTAL FLOATS: 56	£50,662.46			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 17,753 kg
CB100_OCT_8MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 8 TOTAL FLOATS: 64	£57,899.96			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 20,289 kg
CB100_OCT_9MOD	ARRAY: OCTAMARAN FLOAT RUNS: 8 FRAMING MODULES: 9 TOTAL FLOATS: 72	£65,137.45			STND X-DIM: 8.500 m MIN X-DIM: 7.672 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 22,825 kg

CB100_NON	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 1 TOTAL FLOATS: 9	£8,083.35	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 2.464 m MAX (BALANCED) LOAD: 2,854 kg
CB100_NON_2MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 2 TOTAL FLOATS: 18	£16,166.70	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 4.928 m MAX (BALANCED) LOAD: 5,708 kg
CB100_NON_3MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 3 TOTAL FLOATS: 27	£24,250.05	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 7.392 m MAX (BALANCED) LOAD: 8,561 kg
CB100_NON_4MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 4 TOTAL FLOATS: 36	£32,333.40	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 9.856 m MAX (BALANCED) LOAD: 11,415 kg
CB100_NON_5MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 5 TOTAL FLOATS: 45	£40,416.75	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 12.320 m MAX (BALANCED) LOAD: 14,269 kg
CB100_NON_6MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 6 TOTAL FLOATS: 54	£48,500.09	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 14.784 m MAX (BALANCED) LOAD: 17,123 kg
CB100_NON_7MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 7 TOTAL FLOATS: 63	£56,583.44	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 17.248 m MAX (BALANCED) LOAD: 19,977 kg

CB100_NON_8MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 8 TOTAL FLOATS: 72	£64,666.79	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 19.712 m MAX (BALANCED) LOAD: 22,830 kg
CB100_NON_9MOD	ARRAY: NONAMARAN FLOAT RUNS: 9 FRAMING MODULES: 9 TOTAL FLOATS: 81	£72,750.14	 	STND X-DIM: 9.500 m MIN X-DIM: 8.636 m SET Y-DIM: 22.176 m MAX (BALANCED) LOAD: 25,684 kg